Cobus Coles fel 2000 Dais Spray BIG) Via del Dossi, ? Tel39 015 265141 Fax -39 015 2651431 C.F. & P. Nau 20567630161 infolle-bos.it www.cebosolor it www.cebosolor it	Cebos Color Srl	Revision n. 6
www.ceboscolor.it		Revision date 11/05/2018
	SS 04.004 - CeboKiss	Printed on 05/21/2018  Page no. 1/11

# Safety Data Sheet

### SECTION 1. Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier Code:

SS 04.004

Name CeboKiss

1.2. Relevant identified uses of the substance or mixture and uses advised against Description / Use Decorative wall finish based on acrylic resin for interiors.

1.3. Information on the supplier of the safety data sheet Business

name Cebos Color Srl

Address Via Dei Dossi n. 7 24040 Location and State OSIO SOPRA (BG) ITALY

> tel. (+39) 035 265141 fax (+39) 035 2651431

e-mail of the competent person,

responsible for the safety data sheet carlo@cebos.it Responsible for placing on the market: Cebos Color Srl

1.4. Emergency telephone number For

urgent information contact Poison Control Centers (CAV): Milan Tel. (+39) 02 66101029; Rome Tel. (+39) 06 3054343;

Naples Tel. (+39) 081 7472870; Catania Tel. (+39) 095 7594120.

Technical information: Cebos Color Tel. (+39) 035 265141 (Mon-Fri 8.30 / 12.30 -

13.30 / 18.00)

# SECTION 2. Hazards identification

# 2.1. Substance or mixture classification

The product is not classified as dangerous according to the provisions of Regulation (EC) 1272/2008 (CLP).
However, since the product contains dangerous substances in a concentration such as to be declared in section 3, it requires a safety data sheet with adequate information, in compliance with Regulation (EU) 2015/830.
Hazard classification and indications:

2.2. Label elements

Danger labeling pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and adjustments.

Hazard pictograms: - -

Warnings: - -

Hazard statements:



# Cebos Color Srl

Revision n. 6

Revision date 11/05/2018

Printed on 05/21/2018

SS 04.004 - CeboKiss

Page no. 2/11

EUH210

Safety data sheet available on request.

EUH208

Contains:, Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7]; 2-methyl-2H-isothiazol-3-one [EC no.

220-239-6] (3: 1), 1,2-Benzoisothiazol-3 (2H) -one, 2-octyl-2H-isothiazol-3-one

It can cause an allergic reaction.

Precautionary advice:

- -

2.3. Other dangers

On the basis of available data, the product does not contain PBT or vPvB substances in percentage greater than 0.1%.

# SECTION 3. Composition / information on ingredients

3.1. Substances

Not relevant information

3.2. Blends

Contains:

Identification

x = Conc.% Classification 1272/2008 (CLP)

2-octyl-2H-isothiazol-3-one

CAS 26530-20-1

 $0 \le x < 0.05$ 

Acute Tox. 3 H311, Acute Tox. 3 H331, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam.1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M = 1,

Aquatic Chronic 1 H410 M = 1

THERE IS 247-761-7

INDEX 613-112-00-5

1,2-Benzoisothiazol-3 (2H) -one

1,2-De1120130t111d201-3 (211) -011e

CAS 2634-33-5  $0 \le x < 0.05$ 

Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317,

Aquatic Acute 1 H400 M = 1

THERE IS 220-120-9

INDEX 613-088-00-6

Reaction mass of: 5-chloro-2methyl-2H-isothiazol-3-one [EC no. 247-500-7]; 2-methyl-2H-isothiazol-3-

one [EC no. 220-239-6] (3: 1)

CAS 55965-84-9 0 ≤ x <0.0015

Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Skin Corr. 1B

H314, Eye Dam.1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M = 1,

Aquatic Chronic 1 H410 M = 1

THERE IS


INDEX 613-167-00-5

The full wording of the hazard statements (H) is given in section 16 of the sheet.

# SECTION 4. First aid measures

### 4.1. Description of first aid measures

EYES: Remove any contact lenses. Wash immediately and abundantly with water for at least 30/60 minutes, opening the flaps well



eyelids. Consult a physician immediately.

SKIN: Take off contaminated clothing. Take a shower immediately. Consult a physician immediately.

INGESTION: Give as much water to drink as possible. Consult a physician immediately. Do not induce vomiting unless expressly authorized by your doctor.

INHALATION: Call a doctor immediately. Take the person out into the fresh air, away from the scene of the accident. If breathing stops, give artificial respiration. Take adequate precautions for the rescuer.

4.2. Most important symptoms and effects, both acute and delayed

No specific information on symptoms and effects caused by the product is known.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

5.1. Fire fighting

SUITABLE EXTINGUISHING MEDIA

The extinguishing media are the traditional ones: carbon dioxide, foam, powder and nebulized water.

UNSUITABLE EXTINGUISHING MEDIA

No one in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Avoid breathing combustion products.

5.3. Recommendations for firefighters

### GENERAL INFORMATIONS

Cool the containers with jets of water to avoid product decomposition and the development of substances potentially hazardous to health. Always wear full fire protection equipment. Collect the extinguishing water which must not be discharged into the sewers. Dispose of the contaminated water used for extinguishing and the residue of the fire according to current regulations.
EQUIPMENT

Normal clothing for firefighting, such as an open circuit compressed air breathing apparatus (EN 137), flame retardant suit (EN469), flame retardant gloves (EN 659) and fire brigade boots (HO A29 or A30).

# SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures


Stop the leak if there is no danger.

Wear suitable protective equipment (including personal protective equipment referred to in section 8 of the safety data sheet) to prevent contamination of skin, eyes and personal clothing. These indications are valid both for the workers and for emergency interventions.

6.2. Environmental precautions

Prevent the product from entering sewers, surface water, groundwater.

6.3. Methods and materials for containment and cleaning up



Suck up the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material.

Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and disposal is given in sections 8 and 13.

# SECTION 7. Handling and storage

### 7.1. Precautions for Safe Handling

Handle the product after consulting all the other sections of this safety data sheet. Avoid the dispersion of the product in the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container. Keep the containers closed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, checking section 10.

7.3. Specific end uses

Information not available

# SECTION 8. Exposure controls / personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

Considering that the use of adequate technical measures should always take priority over personal protective equipment, ensure good ventilation in the workplace through effective local exhaust.

For the choice of personal protective equipment, if necessary, seek advice from your chemical suppliers. Personal protective equipment must bear the CE mark which certifies their compliance with current regulations.

#### HAND PROTECTION

Protect hands with category III work gloves (ref. Standard EN 374).

For the final choice of the material of the work gloves it is necessary to consider: compatibility, degradation, breakage time and permeation.

In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is not foreseeable. Gloves have a wear time that depends on the duration and method of use.

#### SKIN PROTECTION


Wear category I professional long-sleeved work clothes and safety footwear (ref. Directive 89/686 / EEC and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

#### FYF PROTECTION

It is recommended to wear airtight protective goggles (ref. Standard EN 166).

#### RESPIRATORY PROTECTION

In case of exceeding the threshold value (e.g. TLV-TWA) of the substance or of one or more of the substances present in the product, it is advisable to wear a mask with a type A filter whose class (1, 2 or 3) must be chosen in relation to the limit concentration of use. (ref. standard EN 14387). In



if there are gases or vapors of a different nature and / or gases or vapors with particles (aerosols, fumes, mists, etc.), combined filters must be provided. The use of respiratory protection means is necessary in case the technical measures adopted are not sufficient to limit the exposure of the worker to the threshold values taken into consideration. The protection offered by the masks is however limited.

In the event that the substance in question is odorless or its olfactory threshold is higher than the relative TLV-TWA and in the event of an emergency, wear an opencircuit compressed air breathing apparatus (ref. Standard EN 137) or a self-contained breathing apparatus. outdoor air (ref. EN 138 standard). For the correct choice of the respiratory protection device, refer to the EN 529 standard.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

Emissions from manufacturing processes, including those from ventilation equipment should be controlled for compliance with environmental protection legislation.

viscous liquid

Unavailable

# SECTION 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Color transparent white Odor characteristic Odor threshold Unavailable 8 - 9 рΗ Melting or freezing point Initial Unavailable boiling point Unavailable Boiling range Flash Unavailable point Evaporation rate > 60 ° C Unavailable Flammability of solids and Unavailable gases Lower flammability limit Unavailable Upper flammability limit Lower Unavailable Unavailable explosive limit Upper explosive limit Vapor pressure Unavailable Unavailable Vapor density Unavailable Relative density

partially soluble in water Not Solubility

Partition coefficient: n-octanol / water: Autoavailable ignition temperature Unavailable Decomposition temperature Unavailable Unavailable Viscosity Explosive properties Unavailable Unavailable Oxidizing properties

9.2. Other information

VOC (Directive 2004/42 / EC): 3.60% - 36.00 g / liter VOC (volatile carbon): 1.49% - 14.90 g / liter

### SECTION 10. Stability and reactivity


### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions



In normal conditions of use and storage no dangerous reactions are foreseeable.

10.4. Conditions to avoid

None in particular. However, follow the usual precautions towards chemicals.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

In the absence of experimental toxicological data on the product itself, any health hazards of the product have been assessed on the basis of the properties of the substances contained, according to the criteria established by the reference legislation for classification.

Therefore, consider the concentration of the individual dangerous substances possibly mentioned in sect. 3, to evaluate the toxicological effects deriving from exposure to the product.

11.1. Information on toxicological effects

Metabolism, kinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects and chronic effects from short and long term exposure

Information not available

Interactive effects


Information not available

# **ACUTE TOXICITY**

LC50 (Inhalation) of the mixture:
Not classified (no relevant component) LD50
(Oral) of the mixture:
Not classified (no relevant component) LD50
(Dermal) of the mixture:
Not classified (no relevant component)

### SKIN CORROSION / SKIN IRRITATION

It does not meet the classification criteria for this hazard class



### SERIOUS EYE DAMAGE / EYE IRRITATION

It does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITIZATION

May produce an allergic reaction. Contains: Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7]; 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1)

1,2-Benzoisothiazol-3 (2H) -one 2-

octyl-2H-isothiazol-3-one

### MUTAGENICITY ON GERMINAL CELLS

It does not meet the classification criteria for this hazard class

#### **CARCINOGENICITY**

It does not meet the classification criteria for this hazard class

#### REPRODUCTION TOXICITY

It does not meet the classification criteria for this hazard class

# SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

It does not meet the classification criteria for this hazard class

# SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE

It does not meet the classification criteria for this hazard class

#### DANGER IN CASE OF SUCTION

It does not meet the classification criteria for this hazard class

# SECTION 12. Ecological information

As specific data on the preparation are not available, use according to good working practices, avoiding to disperse the product in the environment. Avoid dispersing the product in the ground or water courses. Notify the competent authorities if the product has reached water courses or if it has contaminated the soil or vegetation. Take measures to minimize the effects on the aquifer.


12.1. Toxicity

Information not available

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulation potential



# **SECTION 14. Transport information**

The product is not to be considered dangerous pursuant to the provisions in	n force on the transport of dangerous goods by road (ADR), by rail (RID), by sea
(IMDG Code) and by air (IATA).	
(in the country and by an (in the the	


The product is not to be considered dangerous pursuant to the provisions in force on the transport of dangerous goods by road (ADR), by rail (RID), by (IMDG Code) and by air (IATA).
14.1. UN number
Not applicable
14.2. UN proper shipping name

14.3. Transport hazard classes

Not applicable

Not applicable


14.4. Packing group



None

None

Substances subject to the Stockholm Convention:



Revision n. 6

Revision date 11/05/2018

Printed on 05/21/2018

Page no. 10/11

#### Sanitary checks

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been developed for the mixture and the substances it contains.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in sections 2-3 of the sheet:

Acute Tox. 3 Acute toxicity, category 3 Acute
Acute Tox. 4 toxicity, category 4 Skin corrosion,
Skin Corr. 1B category 1 B Serious eye damage,
Eye Dam. 1 category 1 Skin irritation, category 2

Skin Irrit. 2 Skin sensitization, category 1

Skin Sens. 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H301 Toxic if swallowed.

H311 Toxic in contact with the skin.

H331 Toxic if inhaled.
H302 Harmful if swallowed.

H314 It causes serious skin burns and serious eye injuries.

H318 Causes serious eye damage. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. Very toxic


H400 to aquatic organisms.

H410 Very toxic to aquatic life with long lasting effects. Safety data sheet

EUH210 available on request.

#### LEGEND:

- ADR: European agreement for the transport of dangerous goods by road
- CAS NUMBER: Number of the Chemical Abstract Service
- EC50: Concentration affecting 50% of the population under test
- CE NUMBER: Identification number in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived no effect level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System for Classification and Labeling of Chemicals
- IATA DGR: Regulations for the transport of dangerous goods of the International Air Transport Association
- IC50: Concentration of immobilization of 50% of the population subject to testing
- IMDG: International maritime code for the transport of dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in Annex VI of the CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- OEL: Occupational exposure level
- PBT: Persistent, bioaccumulating and toxic according to REACH



- PEC: Predicted environmental concentration
- PEL: Predictable level of exposure
- PNEC: Predicted No Effect Concentration
- REACH: EC Regulation 1907/2006
- RID: Regulations for the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that must not be exceeded during any moment of occupational exposure.
- TWA STEL: Short term exposure limit
- TWA: Weighted average exposure limit
- VOC: Volatile organic compound
- vPvB: Very persistent and very bioaccumulating according to REACH
- WGK: Water hazard class (Germany).

### GENERAL BIBLIOGRAPHY:

- 1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
- 2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
- 3. Regulation (EU) 790/2009 of the European Parliament (I Atp. CLP)
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
- 6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
- 7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
- 8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
- 9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
- 10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
- 11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- NI Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA Agency website
- Database of SDS models of chemical substances Ministry of Health and National Institute of Health

#### Note for the user:

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be construed as a quarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, the user is obliged to observe the laws and regulations in force regarding hygiene and safety under his own responsibility. No responsibility is assumed for improper use. Provide adequate training for personnel assigned to use chemical products.

Changes compared to the previous revision Changes have been made to the following sections: 01/02/03/04/08/09/11/14/15.